

# Topic 3: Information and Data

What is Information?

What is Data?

How do Computers Represent Information?

# Recommended Readings

- Chapter 1

STARTING OUT WITH PYTHON®



# What is Information?

## What is Information?

- Etymology: Latin, “to give form to” or “to form an idea of”
- The state of being of an object or system of interest

# What is Data?

# Information Processing

- A change of information in any manner detectable by an observer
- Using a computer?
  - Encode information into data
  - Process the data
  - Translate data back into information

## Storing Data

- All data in a computer is either a 0 or 1
  - Called a bit
  - Electrically, this is a switch that is either open or closed
- Encoding schemes translate integers, real numbers, letters, pictures, ... into bits

## Boolean Data

- Has two possible values
  - True
  - False
- Easily encoded using a single bit
  - 0: False (or “no” or “off”)
  - 1: True (or “yes” or “on”)



## Integer Data

- How do we represent the numbers 5, 42, or 367 using only ones and zeros?

# Number Systems

- Decimal (Base 10)
  - 10 distinct symbols
  - Each digit is a factor of 10 larger than the digit to its left

# Number Systems

- Binary (Base 2)
  - 2 distinct symbols
  - Each digit is a factor of 2 larger than the digit to its left

# Counting in Binary

## Binary Numbers

- Consider the base 2 number  $1001101_2$ 
  - What base 10 number does it represent?

## Binary to Decimal

- Convert  $1111_2$  to base 10:
- Convert  $100010_2$  to base 10:
- Convert  $0_2$  to base 10:

## Decimal to Binary

- What sequence of bits represents the decimal number 12?

## The Division Algorithm

- Allows us to convert from Decimal to Binary
  - Let  $Q$  represent the number to convert
  - Repeat
    - Divide  $Q$  by 2, recording the Quotient,  $Q$ , and the remainder,  $R$
  - Until  $Q$  is 0
  - Read the remainders from bottom to top



## Decimal to Binary

- What sequence of bits represents the decimal number 12?

## Decimal to Binary

- Convert  $191_{10}$  to Binary:

## Decimal to Binary

- Convert 222 Base 10 to Base 2:

## Integer Data

- Base 10 integers can be represented using sequences of bits
  - Common sizes:
    - 8 bits (referred to as a byte)
    - 32 bits (referred to as a word)
    - 64 bits (referred to as a double word / long)
    - 16 bits (referred to as a half word / short)

# Negative Numbers

- How can we represent negative numbers?
  - Choose an encoding where we choose that some bit patterns represent positive numbers and others represent negative numbers
  - Simple Idea:
    - Left most bit is the sign – 0: positive, 1: negative
    - Rest of the bits represent the number
  - Other ideas:
    - One's Complement, Two's Complement, Base -2, Excess N, ...

## Other Bases

- A number system can have any base
  - Decimal: Base 10
  - Binary: Base 2
  - Octal: Base 8
  - Hexadecimal: Base 16
  - Vigesimal: Base 20
  - Base 6
  - Any other number we choose...

# Why do Computer Scientists Always Confuse Halloween and Christmas?



## Hexadecimal

- Convert 0xA1 to decimal:
- Convert 44 base 16 to decimal:
- Convert CAFE<sub>16</sub> to base 10:



# Hexadecimal

- Convert  $507_{10}$  to base 16:

# Hexadecimal

- Convert  $180_{10}$  to base 16:

## Utility of Hexadecimal

- Common to have groups of 32 bits
  - 32 bits is cumbersome to write
  - easy to make mistakes
- Use hexadecimal as a shorthand
  - 8 hex digits instead of 32 bits
  - Group bits from the right
  - Memorize mapping from binary to hex for values between 0 and F

## Utility of Hexadecimal

- Convert 0xF51A to binary
  
- Convert 1001001010101011010100 from binary to hex

# Representing Characters

- What characters do we need to be able to represent?

# Representing Characters

- Standard encoding scheme called ASCII
  - American Standard Code for Information Interchange
    - 7 bits per character
  - Includes printable characters
  - Includes “control characters” that impact formatting (tab, newline), data transmission (mostly obsolete)
  - Layout seems arbitrary, but actually contains some interesting patterns

# Representing Characters

# Representing More Characters

- Limitation of ASCII?
  - Only supports Latin character set
  - No support for accents, additional character sets
  - Solutions?



# Representing More Characters

- UTF-8
  - Another encoding scheme for characters
    - Variable length – 1, 2, 3 or 4 bytes per character
  - Compatible with ASCII
  - Consider each byte
    - Left most bit is 0? Usual ASCII Character
    - Left most bits are 110? 2 byte character
    - Left most bits are 1110? 3 byte character
    - Left most bits are 11110? 4 byte character

# Representing Real Numbers

- Standard Representation: IEEE 754 Floating Point
  - Express the number in scientific notation
  - $-0.0002589$  becomes  $-2.589 * 10^{-4}$
  - Encode three pieces of information

## Problems with Real Numbers

- How many real numbers are there?
- How many real numbers are there between 0 and 1?
- How many values can be represented by 32 or 64 bits?
- What's the problem?

# Encoding Images

- Common Techniques
  - Vector Images
  
  - Raster Images

# Representing Colors

- How do we represent a color as a sequence of bits?

# Recall

- Inside a computer:
  - Integers are represented by bits
  - Characters are represented by bits
  - Real numbers are approximated by bits
  - ...
  - Without context, the bits are just data
- Adding context transforms the data into information

## Where Are We Going?

- We know:
  - Information can be encoded as data
  - Computers manipulate data
  - Data can be put into context to make it information
- Next up:
  - More ways of controlling the computer so that it will manipulate data the way we want it to